

Washington State Speed Report

FOURTH QUARTER OF CALENDAR YEAR 2005



Washington State Department of Transportation

In cooperation with the
United States Department of Transportation
Federal Highway Administration

WASHINGTON STATE
DEPARTMENT OF TRANSPORTATION

FOURTH QUARTER SPEED REPORT FOR CALENDAR YEAR 2005

STRATEGIC PLANNING and PROGRAMMING

TRANSPORTATION DATA OFFICE

HIGHWAY USAGE BRANCH

CONTACT: MS:47380 PHONE: (360) 570-2392

October 1st through December 31st

TABLE OF CONTENTS

<u>EXECUTIVE SUMMARY</u>	1
<u>TOP TEN LIST</u>	2-6
<u>SITE SUMMARY</u>	7
<u>DETAILED SUMMARY</u>	8-9
<u>GRAPH—VEHICLES OBSERVED & OVERSPEED 2005 4th QUARTER</u>	10
<u>GRAPH—AVERAGE SPEEDS & 85TH PERCENTILE 2005 4th QUARTER</u>	11
<u>SPEED REPORT BACKGROUND</u>	12
<u>SPEED SITE DESCRIPTION</u>	13-14
<u>SITE MAP—STATEWIDE</u>	15
<u>SITE MAP—PUGETSOUND ENLARGEMENT</u>	16
<u>SITE DATA</u>	17-63
<u>GLOSSARY</u>	64

EXECUTIVE SUMMARY

This report is based upon the speed data collected for the Fourth Quarter (October 1st through December 31st) of calendar year 2005.

Speed trends within the state are remaining relatively consistent, with 21 – 56 % of the vehicles observed, on all highways combined, traveling at or above the posted speed. The 85th percentile, for all state highways combined, is averaging 3 to 7 MPH above the posted speed limit, while the average speeds, for all state highways combined, is at or slightly below (1 - 4 mph). (See “Detailed Summary”)

There were several sites that show vehicles traveling in excess of 100 miles per hour, which was from 1 vehicle to as many as 34 vehicles in the three-day sampling. Of the Top Ten 100+MPH Club, five (5) were rural sites and eleven (11) were urban (4th, 5th, 6th, 8th, & 9th place were tied). Permanent Traffic Recorder (PTR) site S825, Issaquah, mile post 14.65 on I-90, recorded 34 vehicles, within the 72 hours collected, in excess of 100 miles-per-hour, which put this site at the top of the 100+MPH Club for this quarter and had the same number of vehicles as last quarter. Second place went to PTR R034, Tacoma/48th St, milepost 131.18 on I-5, recorded 25 vehicles, within the 72 hours sampled. PTR S826, Preston was third with only 20 vehicles in the sample, this site was in first place for the previous three quarters of the year (1st quarter 66 vehicles; 2nd quarter 50; 3rd quarter 45). (See Top Ten List)

When compared to state averages, some individual sites tend to have a higher percentage of vehicles traveling faster than the posted speed limit. For example: the PTR site R060, Lacey, I-5, milepost 111.01 recorded 85.5% at or above the posted speed limit, with 39.8% of the total vehicles observed, traveling at least 5 mph and greater than the posted speed. The percentage of vehicles at and above the posted speed limit, for this quarter, is higher than previous quarters for 2005. The Average Speed at this location during 2005 has been 4 mph above the posted speed of 60 MPH, while the 85th percentile was 9 mph over. (See “Top Ten List” or “Site Summary” for better details)

The volume of vehicles recorded this quarter is comparable to same quarter of previous years on most state highways. However, the volumes have changed, depending upon grouping of highway type (60 mph Interstate, 60 mph Non-Interstate, etc...). The number of sites operational may cause changes in volumes, during the quarter sampling, which may have been due to equipment failure, construction activities, speed limit changes (which require a regrouping of sites within each highway group) and/or a normal growth pattern existing within economical growth. (See graph in “Detailed Summary”)

Please note: the current collection systems being used for this report reflects all vehicles observed within a random 72 hour sampling (Tuesday through Thursday), emergency and enforcement vehicles are included and may influence the numbers in an upward direction especially in the 100+ MPH group of the Top Ten Report (See “Top Ten List”)

Special speed studies are available from the Transportation Data Office by contacting the Automated Data Collection Section at 360-570-2392 or E-mailing tdoadc@wsdot.wa.gov

CALENDAR YEAR 2005

4TH QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60: 70/60)

TOP TEN LIST 100+ MPH CLUB													
RANK / QTR						LOCATION			NUMBER OF VEHICLES AT & ABOVE 100 MPH				
CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE	SITE NAME	SR #	MILE POST	CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	FUNC CLS
4TH	3rd	2nd	1st						4TH	3rd	2nd	1st	
1	2	2	3	73	S825	ISSAQUAH	I-90	14.65	34	34	35	21	U-5
2	6	7	4	66	R034	TACOMA 48TH ST	I-5	131.18	25	23	12	16	U-5
3	1	1	1	60	S826	PRESTON	I-90	23.54	20	66	50	45	R-5
4	5	3	2	58	R001	MARYSVILLE	I-5	207.76	16	26	31	28	R-5
4	3	4	9	64	R045	WOODLAND	I-5	20.14	16	31	19	7	U-5
5	NR	NR	NR	13	S824	BOTHEL	I-405	28.99	10	NR	NR	NR	U-5
5	10	9	NR	74	R055	MOSES LAKE	I-90	180.33	10	8	10	NR	R-5
6	4	6	7	67	S837	FIFE	I-5	136.8	9	27	13	11	U-5
6	NR	9	8	5	R060	LACEY	I-5	111.01	9	NR	10	8	U-5
7	4	10	5	68	S809S	MIDWAY SB	I-5	148.07	6	27	9	15	U-5
8	NR	NR	NR	34	R036	SPOKANE/SPRAGUE AVE	I-90	285	4	NR	NR	NR	U-5
8	NR	8	5	36	R051	MILL PLAIN	I-205	29.09	4	NR	11	15	U-5
9	8	11	10	35	R081	PASCO COURT ST	I-182	6.34	3	12	7	6	U-5
9	8	11	10	47	R061	ELTOPIA	SR-395	36.24	3	12	7	6	R-1
9	NR	NR	NR	63	R050	SILVERDALE	SR-003	44.33	3	NR	NR	NR	U-1
10	NR	NR	NR	80	R077	STONEHENGE	SR-014	102.27	2	NR	NR	NR	R-3

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

4TH QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST										% OF VEHICLES AT & ABOVE SPEED LIMIT									
RANK / QTR						LOCATION				% AT & ABOVE POSTED SPEED									
CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE #	SITE NAME	SR #	MILE POST		CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	POSTED SPEED	CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	
4TH	3rd	2nd	1st							4th	3rd	2nd	1st		4th	3rd	2nd	1st	
1	1	1	1	5	R060	LACEY	I-5	111.01		85.5%	83.7%	84.6%	84.1%	60/60	39.8%	40.8%	43.6%	38.3%	
2	4	3	7	44	R075	SALKUM	SR-012	77.78		73.5%	77.0%	78.1%	68.1%	55/55	21.9%	31.5%	30.0%	22.0%	
3	3	2	3	73	S825	ISSAQUAH	I-90	14.65		71.5%	79.0%	78.5%	76.3%	60/60	36.8%	44.0%	44.2%	38.5%	
4	2	3	2	63	R050	SILVERDALE	SR-003	44.33		70.5%	80.6%	78.1%	77.7%	60/60	24.9%	32.2%	29.9%	30.5%	
5	8	9	8	34	R036	SPOKANE-SPRAGUE AVE	I-90	285.24		69.2%	70.1%	66.7%	66.7%	60/60	20.8%	19.2%	17.6%	17.6%	
6	9	7	NR	41	P11	PATEROS	SR-097	250.35		66.8%	69.2%	67.5%	NR	60/60	15.4%	19.7%	16.8%	NR	
7	7	5	6	48	P28	CHATTAROY	SR-002	301.4		65.5%	70.2%	69.3%	68.5%	60/60	14.9%	20.5%	17.5%	37.0%	
8	10	4	9	49	P-15	SPANGLE	SR-195	87.7		63.1%	68.8%	69.8%	65.0%	60/60	15.6%	20.2%	23.3%	16.0%	
9	6	8	NR	25	R020	OTHELLO	SR-017	30.37		59.7%	70.4%	67.0%	NR	60/60	14.9%	20.4%	17.6%	NR	
10	5	6	5	36	R051	MILL PLAIN SB	I-205	29.09		59.4%	73.3%	67.9%	69.9%	60/60	24.9%	36.7%	31.0%	33.2%	

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

4TH QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST										AVERAGE SPEED					LOCATION					AVERAGE SPEED (MPH)				
RANK / QTR																								
CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE #	SITE NAME	SR #	MILE POST		CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	POSTED SPEED LIMIT						CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	POSTED SPEED LIMIT
4TH	3rd	2nd	1ST							4TH	3rd	2nd	1st							4TH	3rd	2nd	1st	
1	1	1	1	5	R060	LACEY	I-5	111.01		64.08	64.00	64.24	63.86	60/60						64.08	64.00	64.24	63.86	60/60
2	2	3	2	63	R050	SILVERDALE	SR-003	44.33		62.14	63.27	62.98	62.97	60/60						62.14	63.27	62.98	62.97	60/60
3	4	2	4	73	S825	ISSAQUAH	I-90	14.65		61.90	63.23	62.99	62.47	60/60						61.90	63.23	62.99	62.47	60/60
4	7	8	7	34	R036	SPOKANE-SPRAGUE AVE	I-90	285.24		61.72	61.79	61.48	61.48	60/60						61.72	61.79	61.48	61.48	60/60
5	6	7	9	41	P11	PATEROS	SR-097	250.35		61.43	61.84	61.58	60.61	60/60						61.43	61.84	61.58	60.61	60/60
6	NR	6	6	48	P28	CHATTAROY	SR-002	301.4		61.22	NR	61.61	61.50	60/60						61.22	NR	61.61	61.50	60/60
7	8	5	8	49	P15	SPANGLE	SR-195	87.7		61.07	61.76	62.06	61.31	60/60						61.07	61.76	62.06	61.31	60/60
8	5	NR	NR	82	R066	OTHELLO EAST	SR-026	43.06		60.97	62.26	NR	NR	60/60						60.97	62.26	NR	NR	60/60
9	3	4	3	36	R051	MILL PLAIN SB	I-205	28.84		60.44	63.26	62.33	62.65	60/60						60.44	63.26	62.33	62.65	60/60
10	NR	NR	NR	43	R041	GOLDENDALE	SR-097	15.17		60.15	NR	NR	NR	60/60						60.15	NR	NR	NR	60/60
1	1	1	1	60	S826	PRESTON	I-90	23.54		69.52	70.99	70.9	70.51	70/60						69.52	70.99	70.9	70.51	70/60
2	2	6	6	35	R081	PASCO/SR 182	I-182	6.34		69.34	70.34	69.36	69.34	70/60						69.34	70.34	69.36	69.34	70/60
2	2	6	6	47	R061	ELTOPIA	SR-395	38.21		69.34	70.34	69.36	69.34	70/60						69.34	70.34	69.36	69.34	70/60
3	6	2	4	74	R055	MOSES LAKE	I-90	180.33		69.26	69.96	70.18	69.75	70/60						69.26	69.96	70.18	69.75	70/60
4	5	5	3	64	R045	WOODLAND	I-5	20.71		68.90	69.98	69.86	69.92	70/60						68.90	69.98	69.86	69.92	70/60
5	3	3	5	75	R014	TYLER/FISHTRAP	I-90	254.5		68.77	70.27	70.2	69.74	70/60						68.77	70.27	70.2	69.74	70/60
6	9	9	7	72	P08	BUENA	I-82	48.5		68.65	68.91	68.73	68.87	70/60						68.65	68.91	68.73	68.87	70/60
7	4	8	9	59	P-10	RITZVILLE #1	I-90	218.83		68.24	70.23	68.86	68.47	70/60						68.24	70.23	68.86	68.47	70/60
8	NR	NR	10	89	P7C	RITZVILLE #2	SR-395	93.01		67.87	NR	NR	68.35	70/60						67.87	NR	NR	68.35	70/60
9	7	7	2	65	R019	GRAND MOUND	I-5	86.32		67.57	69.50	69.09	70.05	70/60						67.57	69.50	69.09	70.05	70/60
10	10	4	5	58	R001	MARYSVILLE	I-5	207.76		67.24	68.87	69.94	69.74	70/60						67.24	68.87	69.94	69.74	70/60

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

4TH QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST 85TH PERCENTILE															
										LOCATION					
RANK / QTR						85TH PERCENTILE									
CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE	SITE NAME	SR #	MILE POST	CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	POSTED SPEED	FUNC CLS	
4TH	3rd	2nd	1st						4th	3rd	2nd	1st			
1	1	1	1	73	S825	ISSAQUAH	I-90	14.65	69.32	69.80	69.88	69.24	60/60	U-5	
2	3	2	2	5	R060	LACEY	I-5	111.01	69.30	69.37	69.45	69.06	60/60	U-5	
3	2	3	3	36	R051	MILL PLAIN SB	I-205	28.84	67.98	69.57	68.84	69.05	60/60	U-5	
4	4	5	5	63	R050	SILVERDALE	SR-003	44.33	67.60	68.58	68.32	68.36	60/60	U-1	
5	5	NR	NR	82	R066	OTHELLO EAST	SR-026	43.06	67.37	68.53	NR	NR	60/60	R-1	
6	6	7	4	67	S837	FIFE	I-5	136.8	67.31	68.52	67.95	68.40	60/60	U-5	
7	NR	NR	8	83	S612	VERNITA BRIDGE	SR-024	43.5	67.11	NR	NR	67.44	60/60	R-2	
8	NR	8	NR	34	R036	SPOKANE/SPRAGUE AVE	I-90	285.24	66.92	NR	61.48	NR	60/60	U-5	
9	9	NR	NR	70	P1	EVERETT	I-5	184.48	66.24	67.56	NR	NR	60/60	U-5	
10	7	4	6	68	S809S	MIDWAY SB	I-5	148.07	66.02	68.34	68.47	68.24	60/60	U-5	
1	3	1	1	64	R045	WOODLAND	I-5	20.71	76.31	77.25	77.36	77.28	70/60	R-5	
2	1	2	3	60	S826	PRESTON	I-90	14.65	76.15	77.63	77.26	76.79	70/60	R-5	
3	2	6	7	35	R081	PASCO/SR 182	I-182	6.34	75.92	77.29	76.08	75.73	70/60	U-5	
3	2	6	7	47	R061	ELTOPIA	SR-395	38.21	75.92	77.29	76.08	75.73	70/60	R-1	
4	6	5	6	74	R055	MOSES LAKE	I-90	180.33	75.62	76.45	76.48	76.14	70/60	R-5	
5	3	3	4	75	R014	TYLER/FISHTRAP	I-90	254.5	75.21	77.25	76.95	76.47	70/60	R-5	
6	4	8	10	59	P10	RITZVILLE #1	I-90	218.83	74.60	76.51	75.02	74.68	70/60	R-5	
6	5	7	2	65	R019	GRANDMOUND	I-5	86.32	74.60	76.48	75.58	76.94	70/60	R-5	
7	NR	NR	8	89	P7C	RITZVILLE #2	SR-395	93.01	74.51	NR	NR	74.71	70/60	R-1	
8	NR	9	NR	72	P08	BUENA	I-82	48.5	74.44	NR	68.73	NR	70/60	R-5	
9	8	10	9	62	P09	PLYMOUTH	I-82	121.2	74.21	75.16	74.84	74.70	70/60	R-1	
10	NR	NR	NR	21	R048	SELAH	I-82	24.83	74.20	NR	NR	NR	70/60	R-5	

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

4TH QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)
POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST														
DIFFERENTIAL SPLIT == 85TH PERCENTILE MINUS AVG SPD FOR ALL SITES IN SPEED STUDY														
LOCATION														
CURRENT	RANK / QTR				FED SITE #	PTR/WIM SITE	SITE NAME	SR #	MILE POST	DIFFERENTIAL SPLIT BY MPH				
	PREVIOUS	PREVIOUS	PREVIOUS	PREVIOUS						CURRENT	PREVIOUS	PREVIOUS	PREVIOUS	POSTED SPEED
4TH	3rd	2nd	1st							4th	3rd	2nd	1st	CLS
1	3	6	7	68	S809S		MIDWAY SB	I-5	148.07	9.44	9.10	8.94	8.32	60/60 U-5
2	12	10	19	67	S837		FIFE	I-5	136.8	9.26	7.17	7.50	6.60	60/60 U-5
3	1	2	4	83	S612		VERNITA BRIDGE	SR-024	43.5	8.83	10.15	10.27	8.97	60/60 R-2
4	7	7	3	21	R048		SELAH	I-82	24.83	8.74	8.66	8.30	9.31	70/60 R-5
4	9	4	9	66	R034		TACOMA/48TH ST	I-5	131.18	8.74	8.19	9.17	8.27	60/60 U-5
5	10	8	6	70	P1		EVERETT	I-5	184.48	7.94	7.36	7.79	8.38	60/60 U-5
6	5	5	8	80	R077		STONEHENGE	SR-014	102.27	7.85	8.95	9.13	8.30	65/60 R-3
7	6	12	11	22	R037		WINTHROP	SR-020	191.9	7.56	8.89	7.14	7.66	60/60 R-2
8	NR	NR	NR	36	R051		MILL PLAIN SB	I-205	28.84	7.54	NR	NR	NR	60/60 U-5
9	11	9	13	62	P09		PLYMOUTH	I-82	121.2	7.53	7.27	7.53	7.21	70/60 R-5
10	NR	15	10	57	B04		CLE ELUM	I-90	82.7	7.46	NR	6.80	7.74	70/60 R-5
11	NR	13	16	73	S825		ISSAQUAH	I-90	14.65	7.41	NR	6.89	6.77	60/60 U-5
11	11	10	12	64	R045		WOODLAND	I-5	20.71	7.41	7.27	7.50	7.36	70/60 R-5
12	NR	NR	NR	13	S824		BOTHEL	I-405	28.99	7.29	NR	NR	NR	60/60 U-5
13	13	NR	15	65	R019		GRANDMOUND	I-5	86.32	7.02	6.98	NR	6.89	70/60 R-5
13	8	11	5	40	P02		COULEE CITY	SR-002	179.1	7.02	8.34	7.16	8.49	65/60 R-1
14	NR	14	20	58	R001		MARYSVILLE	I-5	207.76	6.75	NR	6.81	6.56	70/60 R-5
15	15	NR	18	77	B03		PASCO/SR 395	SR-395	27.2	6.64	6.83	NR	6.66	70/60 R-1

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

FOURTH QUARTER 2005 SPEED SITE SUMMARY

In summary, the ***VOLUME of Vehicles Observed / AT & ABOVE Posted Speed Limit*** for FOURTH Quarter of Calendar Year 2005:

<u>POSTED SPEED LIMIT</u>	<u>VOLUME OBSERVED</u>	<u>AT & ABOVE</u>	<u>% AT & ABOVE POSTED SPEED</u>
70 MPH Non-interstate highways ==.....	82,865.....	35,218.....	42.5%
70 MPH Interstate highways ==.....	1,255,309.....	496,562.....	39.6%
65 MPH Non-Interstate highways ==.....	31,249.....	6,746.....	21.6%
60 MPH Non-interstate highways ==.....	405,544.....	229,323.....	56.5%
60 MPH Interstate highways ==.....	3,474,608.....	1,878,412.....	54.1%

Please see VEHICLES OBSERVED AT OR EXCEEDING POSTED SPEED LIMIT 2005 FOURTH QUARTER GRAPH

In summary, the ***AVERAGE SPEED of Vehicles Observed / 85TH PERCENTILE of Vehicles Observed*** for FOURTH Quarter of Calendar Year 2005

<u>POSTED SPEED LIMIT</u>	<u>AVERAGE SPEED</u>	<u>85TH PERCENTILE</u>
70 MPH Non-interstate highways ==.....	68 MPH.....	75 MPH
70 MPH Interstate highways ==.....	68 MPH.....	75 MPH
65 MPH Non-interstate highways ==.....	61 MPH.....	68 MPH
60 MPH Non-interstate highways ==.....	59 MPH.....	65 MPH
60 MPH Interstate highways ==.....	59 MPH.....	67 MPH

Speeds in this table have been rounded to the next number.

Please see AVERAGE SPEEDS / 85TH PERCENTILE 2005 FOURTH QUARTER GRAPH

For individual site data, please contact the Automated Data Collection Section at the Transportation Data Office (360-570-2392) or E-mail requests to tdoadc@wsdot.wa.gov.

DETAILED SUMMARY

The Top Ten List has two groups within two of the five categories of the TOP TEN LIST (Average Speed and 85th Percentile), one group is for highways with posted speeds of 60 mph and the other is for highways with a posted speed of 70 mph (These are the highways with the greatest volume of vehicles.)

AVERAGE SPEED:

Posted 60 MPH group:

Permanent traffic recorder (PTR) site FED#5, PTR R060, (Lacey), I-5, MP 111.01, is at the top of two of the five categories in the Top Ten List. This site ranked 1st in the Average Speed Category, with an average speed of 64.0 mph (4 mph over the posted speed limit) and ranked 1st with highest percentage of vehicles traveling at & above the posted speed limit, 85.5% during the three-day sampling. (See Top Ten List)

Posted 70 MPH group:

Permanent traffic recorder (PTR) site FED #60 PTR #S826 (Preston), milepost 23.54 on I-90, is ranked #1 for Average Speed with 69.52 mph, ranked 3rd in the 100+ Club with 20 vehicles recorded over 100 mph and ranked 2nd in the 85th Percentile at 76.15 mph (6.15 mph over) within the three-day sampling. (See Top Ten List)

85th PERCENTILE:

Posted 60 MPH group:

Permanent Traffic Recorder (PTR) site FED#73, PTR S825, (Issaquah), I-90, MP 14.65, is ranked #1 with an 85th percentile of 69.32 mph, ranked 3rd in the Average Speed Category, with an average speed of 61.9 mph (1.9 mph over the posted speed limit), ranked 1st with the most vehicles over 100 mph (34) in the three-day sample and ranked 3rd in the highest percentage of vehicles traveling at & above the posted speed limit (71.5%). (See Top Ten List)

Posted 70 MPH group:

Permanent Traffic Recorder (PTR) site FED #64, PTR #R045 (Woodland), I-5, MP 20.71, is ranked #1 for 85th Percentile with 76.31 mph (6.31 mph over posted speed), ranked 4th in with the most vehicles over 100 mph (16) and ranked 4th in Average Speed Category, with an average speed of 68.9 mph. (See Top Ten List)

DETAILED SUMMARY CON'T:

In comparing the fourth quarters from Calendar years 2003 and 2004 to this quarter of 2005, the average speeds have remained relatively the same with only a slight variance in speeds.

On highways with a 60 MPH posted speed limit the Average Speed is slightly below the posted speed limit, on all other highway speed groups the Average Speed is below the posted speed.

The 85th percentile has remained above the posted speed limit during all compared quarters, with little difference between quarters. (See chart below)

On highways with the posted speed of 60 mph, the percent of vehicles observed traveling at & above the posted speed limit has remained above 50% or greater.

On highways with a posted speed of 70 MPH, the percentage of vehicles at & above the posted speed has declined greatly compared to 2003 & 2004 same quarter. (See chart below)

4th QUARTER 2005 COMPARED TO 4th QUARTER 2004 & 2003															
<u>HIGHWAY TYPE</u>	<u>AVG SPEED</u>			<u>85TH PERCENTILE</u>			<u>VEH OBSERVED</u>			<u>% AT & ABOVE THE POSTED SPEED</u>			<u>NUMBER OF SITES REPORTING DATA</u>		
	2003	2004	2005	2003	2004	2005	2003	2004	2005	2003	2004	2005	2003	2004	2005
<u>60 MPH INTERSTATE</u>	59MPH	60MPH	59MPH	67MPH	67MPH	67MPH	2,022,394	4,611,666	3,474,608	50%	60%	54%	11 of 12	12 of 12	10 of 12
<u>60 MPH NON-INTERSTATE</u>	59MPH	59MPH	59MPH	66MPH	65MPH	65MPH	345,948	386,113	405,544	62%	61%	56%	12 of 12	12 of 12	13 of 13
<u>65 MPH</u>	62MPH	62MPH	61MPH	70MPH	69MPH	68MPH	36,156	17,726	31,249	53%	32%	22%	4 of 4	4 of 4	3 of 3
<u>70 MPH INTERSTATE</u>	68MPH	68MPH	68MPH	75MPH	75MPH	75MPH	1,202,052	1,239,902	1,255,309	62%	44%	40%	13 of 14	14 of 14	14 of 14
<u>70 MPH NON-INTERSTATE</u>	68MPH	68MPH	68MPH	75MPH	75MPH	75MPH	77,241	80,117	82,865	57%	43%	42%	3 of 3	3 of 3	3 of 3

SPECIAL NOTE: Volumes of vehicles observed may vary quarter to quarter due to sites not recording data caused by construction, equipment failure and or weather related problems. Individual site data may vary from state averages, this may be due to construction activities and or weather related problems. The collection system currently used to produce this report collects all vehicles observed, Emergency and Enforcement vehicles are included and may be a contributing factor to the 100 MPH + category within the Top Ten List.

Also, please note that the number of sites for 60 mph Non-Interstate and 65 mph highways has changed, this is due to the posted speed limit changed from 65 to 60 mph at Permanent Traffic Recorder R066 (Othello, SR-026, mp 43.06) on August 17th, 2005 with the approval of WSP and the State Traffic Engineers Office.

VEHICLES OBSERVED / AT & ABOVE POSTED SPEED LIMIT 2005 FOURTH QUARTER

70 MPH NON-INTERSTATE

VEHICLES OBSERVED

82,865

VEHICLES AT & ABOVE POSTED SPEED LIMIT

35,218

70 MPH INTERSTATE

VEHICLES OBSERVED

1,255,309

VEHICLES AT & ABOVE POSTED SPEED LIMIT

496,562

65 MPH NON-INTERSTATE

VEHICLES OBSERVED

31,249

VEHICLES AT & ABOVE POSTED SPEED LIMIT

16,746

60 MPH NON-INTERSTATE

VEHICLES OBSERVED

405,544

VEHICLES AT & ABOVE POSTED SPEED LIMIT

229,323


60 MPH INTERSTATE

VEHICLES OBSERVED

3,474,608

VEHICLES AT & ABOVE POSTED SPEED LIMIT

1,878,412



AVERAGE SPEEDS / 85TH PERCENTILE 2005 FOURTH QUARTER

70 MPH NON-INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

70 MPH INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

65 MPH NON-INTERSTATE
85TH PERCENTILE


AVERAGE SPEED

60 MPH NON-INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

60 MPH INTERSTATE
85TH PERCENTILE

AVERAGE SPEED



Speed Report Background

The Annual and Quarterly Speed Monitoring Program is administered by the Transportation Data Office of the Washington State Department of Transportation (WSDOT), in co-operation with the U. S. Department of Transportation (USDOT), Federal Highway Administration (FHWA).

Prior to the enactment of the Federally mandated National Maximum Speed Limit (NMSL), the purpose of the Speed Monitoring program was to provide reliable speed data for the purpose of evaluating speed trends to assist in highway design within the state. After the NMSL was instituted in 1974, states were required to have speed monitoring programs which determined if the motorists, within the state, were in compliance with the 55 mile per hour speed limits set by the NMSL.

In November 1995, the “National Highway Designation Act”, was enacted which resulted in the repeal of the NMSL. At that time, Washington State was no longer required to produce certification of speed limit enforcement. Even so, the program continued under the same format for several years.

Now the Annual/Quarterly Speed Monitoring Program is primarily intended to provide reliable data to be included in quarterly reports to be used in highway design, speed trend analysis, and collision analysis (as it relates to speeds).

Currently, there are 49 of 151 Permanent Traffic Recorder sites, within the speed program, being monitored on Washington State highways with posted speeds of 55 miles per hour or greater. Monitoring is conducted on a quarterly and annual basis, the calendar year is comprised from January 1st through December 31st; each quarter of the calendar year is represented in four intervals of three months each. The data is collected in 72 continuous hours (3 days) of mid-week sampling sessions per quarter in order to measure seasonal variations. The data is collected in five mile per hour increments. Annual and quarterly speed data is collected with permanent traffic recorders using Phoenix Traffic Counters (Diamond Traffic Product) and 1060 Weigh-In-Motion Collectors (International Roadway Dynamics (IRD)). In the report, Diamond units are referred to as Permanent Traffic Recorders (PTR) sites and IRD sites are referred to as Weigh-In-Motion (WIM). A description and location of each site is included within the report.

If there are any questions about this report please direct them to the Supervisor of the Automated Data Collection Section at 360-570-2392 or send E-mails to tdoadc@wsdot.wa.gov.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

SPEED SITE INFORMATIONAL REPORT

STRATEGIC PLANNING AND PROGRAMMING

TRANSPORTATION DATA OFFICE

HIGHWAY USAGE BRANCH

FEDERAL SPEED SITE NUMBER	Permanent Traffic Recorder PTR/WIM Site #	STATE ROUTE	MILE POST	Posted Speed Limit	FC	NHS	LOCATION	Direction	#Lanes	WSDOT REGION
5	<u>PTR-R060</u>	I-5	111.01	60/60	U-5	1	LACEY	North / South	4 - 3	OR
13	<u>PTR-S824</u>	I-405	28.99	60/60	U-5	1	BOTHEL	North / South	2 - 2	NWR
15	<u>PTR-R082</u>	I-5	193.29	60/60	U-5	1	EVERETT / PACIFIC	North / South	3 - 3	NWR
18	NO LONGER REPORTED									
21	<u>PTR-R048</u>	I-82	24.83	70/60	R-5	1	SELAH	Westbound	2	SCR
22	<u>PTR-R037</u>	SR-20	191.90	60/60	R-2	6	WINTHROP	East / West	1 - 1	NCR
23	NO LONGER REPORTED									
25	<u>PTR-R020</u>	SR-17	30.37	60/60	R-1	6	OTHELLO	North / South	1 - 1	NCR
26	NO LONGER REPORTED									
34	<u>PTR-R036</u>	I-90	285.24	60/60	U-5	1	SPOKANE / SPRAGUE AVE.	East / West	3 - 3	ER
35	<u>PTR-R081</u>	I-182	6.34	70/60	U-5	1	PASCO/SR 182	East / West	3 - 3	SCR
36	<u>PTR-R051</u>	I-205	28.84	60/60	U-5	1	MILL PLAIN	Southbound	3	SWR
40	<u>WIM-P02</u>	SR-2	179.10	65/60	R-1	5	COULEE CITY	East / West	1 - 1	NCR
41	<u>WIM-P11</u>	SR-97	250.35	60/60	R-1	5	PATEROS	North / South	1 - 1	NCR
43	<u>PTR-R041</u>	SR-97	13.41	60/60	R-1	5	GOLDENDALE	North / South	2 - 2	SWR
44	<u>PTR-R075</u>	SR-12	77.78	55/55	R-1	5	SALKUM	East / West	1 - 1	SWR
47	<u>PTR-R061</u>	SR-395	36.24	70/60	R-1	2	ELTOPIA	North / South	2 - 2	SCR
48	<u>WIM-P28</u>	SR-2	301.40	60/60	R-1	2	CHATTAROY	East / West	2 - 2	ER
49	<u>WIM-P15</u>	SR-195	87.70	60/60	R-1	5	SPANGLE	North / South	2 - 2	ER
56	<u>WIM-P17</u>	SR-221	13.10	65/60	R-2	6	PROSSER	North / South	1 - 1	SCR
57	<u>WIM-B04</u>	I-90	82.70	70/60	R-5	1	CLE ELUM	East / West	2 - 2	SCR
58	<u>PTR-R001</u>	I-5	207.76	70/60	R-5	1	MARYSVILLE	North / South	3 - 3	NWR
59	<u>WIM-P10</u>	I-90	218.83	70/60	R-5	1	RITZVILLE #1	East / West	2 - 2	ER
60	<u>PTR-S826</u>	I-90	23.54	70/60	R-5	1	PRESTON	East / West	4 - 3	NWR
61	<u>WIM-P29</u>	I-82	34.02	60/60	U-5	1	YAKIMA	East / West	2 - 2	SCR
62	<u>WIM-P09</u>	I-82	121.20	70/60	R-5	1	PLYMOUTH	East / West	2 - 2	SCR
63	<u>PTR-R050</u>	SR-3	44.33	60/60	U-1	4	SILVERDALE	North / South	2 - 2	OR
64	<u>PTR-R045</u>	I-5	20.14	70/60	R-5	1	WOODLAND	North / South	3 - 3	SWR
65	<u>PTR-R019</u>	I-5	86.32	70/60	R-5	1	GRAND MOUND	North / South	2 - 2	OR
66	<u>PTR-R034</u>	I-5	131.18	60/60	U-5	1	TACOMA / 48TH ST	North / South	4 - 4	OR

SITE NUMBER	PTR/WIM Site #	STATE ROUTE	MILE POST	Speed Limit	FC	NHS	LOCATION	Direction	#Lanes	WSDOT REGION
67	PTR-S837	I-5	136.80	60/60	U-5	1	FIFE	North / South	4 - 4	OR
68	PTR-S809	I-5	148.07	60/60	U-5	1	MIDWAY	Southbound	4	NWR
69	WIM-P3N	I-5	176.72	60/60	U-5	1	SEATTLE / NE 185th Street	Northbound	4	NWR
69	WIM-P3S	I-5	176.72	60/60	U-5	1	SEATTLE / NE 185th Street	Southbound	4	NWR
70	WIM-P1N	I-5	184.48	60/60	U-5	1	EVERETT	Northbound	4	NWR
70	WIM-P1S	I-5	185.35	60/60	U-5	1	EVERETT	Southbound	4	NWR
71	WIM-P04	I-5	261.33	70/60	R-5	1	FERNDAL	North / South	4 - 4	NWR
72	WIM-P08	I-82	48.50	70/60	R-5	1	BUENA	East / West	2 - 2	SCR
73	PTR-S825	I-90	14.65	60/60	U-5	1	ISSAQUAH	East / West	4 - 4	NWR
74	PTR-R055	I-90	180.33	70/60	R-5	1	MOSES LAKE	East / West	2 - 2	SCR
75	PTR-R014	I-90	254.23	70/60	R-5	1	TYLER/FISHTRAP	East / West	2 - 2	ER
76	WIM-P24	I-90	298.40	70/60	R-5	1	STATELINE	East / West	2 - 2	ER
77	WIM-B03	SR-395	27.20	70/60	R-1	2	PASCO / SR 395	North / South	2 - 2	SCR
78	NO LONGER REPORTED									
79	NO LONGER REPORTED									
80	PTR-R077	SR-14	102.27	65/60	R-3	6	STONEHENGE	East / West	1 - 1	SWR
81	PTR-R062	SR-240	37.53	55/55	U-1	6	RICHLAND	East / West	1 - 1	SCR
82	PTR-R066	SR-26	43.06	60/60	R-1	6	OTHELLO EAST	East / West	1 - 1	NCR
83	PTR-S612	SR-24	43.50	60/60	R-2	6	VERNITA BRIDGE	East / West	1 - 1	SCR
84	WIM-P01	SR-2	113.10	60/60	R-1	5	CASHMERE	East / West	2 - 2	NCR
85	WIM-P14	SR-195	22.20	60/60	R-1	5	PULLMAN	North / South	1 - 1	ER
86	WIM-P22	SR-97	335.30	60/60	R-1	5	OROVILLE	North / South	1 - 1	NCR
87	NO LONGER REPORTED									
88	PTR-R063	SR 395	190.29	60/60	R-1	2	LOON LAKE	North / South	1 - 1	ER
89	WIM-P7C	SR-395	93.01	70/60	R-1	2	RITZVILLE#2	North / South	2 - 2	ER

PTR = Permanent Traffic Recorder Site

WIM = Weigh-In-Motion Site

SPEED LIMIT= CARS / TRUCKS

FC = **State Functional Classification**
of Speed Sites

R5 or U5 Rural or Urban Interstate

R1 Rural Principal Arterial

R2 or R3 Rural Minor Arterial/Rural Collector

National Highway System Routes

1 - Interstate Route

2 - Congressional High Priority Route

3 - Strategic Highway (STRAHNET)

4 - Major Strategic Highway Connector

5 - Other NHS Routes

6 - Other State Highways

Wa. St. Dept. of Transp. Regions

OR Olympic Region

NWR Northwest Region

SWR Southwest Region


NCR North Central Region

SCR South Central Region

ER Eastern Region

**Automated Speed
Collection Sites
Washington State
Highways
2005**

Washington State Department of Transportation
Transportation Data Office



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
5	PTR R060	I-5 MP-111.01 LACEY	1	4-Oct-05	60/60 NB	31,304	35,714	64.30	98.82%	87.65%	41.79%	7.81%	1.04%	0.12%	0.02%	0.01%	0.00%	1				69.31	87.7%
			2	4-Oct-05	60/60 SB	38,217	44,429	64.54	98.49%	86.02%	45.49%	10.64%	1.27%	0.22%	0.05%	0.01%	0.00%	1				69.74	86.0%
			3	5-Oct-05	60/60 NB	38,103	43,989	64.23	98.76%	86.62%	41.91%	7.46%	0.96%	0.17%	0.05%	0.02%	0.01%	1				69.28	86.6%
			4	5-Oct-05	60/60 SB	47,414	54,408	64.26	98.71%	87.15%	39.99%	9.34%	1.04%	0.23%	0.06%	0.03%	0.01%	4				69.45	87.1%
			5	6-Oct-05	60/60 NB	36,983	44,825	63.55	98.10%	82.51%	35.49%	5.40%	0.77%	0.11%	0.03%	0.01%	0.01%	1				68.79	82.5%
			6	6-Oct-05	60/60 SB	46,604	55,832	63.72	97.23%	83.47%	35.81%	8.78%	0.83%	0.16%	0.03%	0.01%	0.00%	1				69.22	83.5%
			TOTAL						238,625	279,197	64.08	98.30%	85.47%	39.84%	8.31%	0.98%	0.17%	0.04%	0.02%	0.01%	9		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
13	PTR S824	I-405 MP-28.99 BOTHEL	1	4-Oct-05	60/60 NB	14,138	56,523	56.38	62.45%	25.01%	3.75%	0.64%	0.12%	0.04%	0.01%	0.01%	0.00%	1	1			62.76	25.0%
			2	4-Oct-05	60/60 SB	21,077	55,749	56.79	74.22%	37.81%	9.39%	1.21%	0.25%	0.07%	0.03%	0.02%	0.01%	3				64.38	37.8%
			3	5-Oct-05	60/60 NB	14,152	57,180	56.14	61.48%	24.75%	3.42%	0.66%	0.10%	0.03%	0.01%	0.01%	0.00%	1				62.69	24.7%
			4	5-Oct-05	60/60 SB	20,226	55,732	55.84	71.52%	36.29%	9.81%	1.19%	0.23%	0.07%	0.02%	0.01%	0.01%	3				64.39	36.3%
			5	6-Oct-05	60/60 NB	11,311	56,557	54.48	49.93%	20.00%	2.86%	0.58%	0.10%	0.04%	0.02%	0.01%	0.00%	0				61.88	20.0%
			6	6-Oct-05	60/60 SB	18,032	56,578	56.59	71.04%	31.87%	7.32%	0.90%	0.18%	0.05%	0.01%	0.01%	0.00%	2				63.82	31.9%
			TOTAL						98,936	338,319	56.03	65.06%	29.24%	6.07%	0.86%	0.16%	0.05%	0.02%				0.01%	0.00%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Vehicles	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
15	PTR R082	I-5 MP-193.29 EVERETT/PACIFIC	1	-	60/60 NB														1	NWR	U-5		#VALUE!
			2	NO DATA	60/60 SB																		#VALUE!
			3	-	60/60 NB																		#VALUE!
			4	CONSTRUCTION	60/60 SB																		#VALUE!
			5	-	60/60 NB																		#VALUE!
			6	ACTIVITY	60/60 SB																		#VALUE!
TOTAL																							#VALUE!



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
21	PTR R048	I-82 MP-24.83 SELAH	1	4-Oct-05	70/60 WB	2,971	7,158	66.14	88.20%	79.90%	65.87%	41.51%	8.51%	1.05%	0.15%	0.04%					74.39	41.5%	
			2	5-Oct-05	70/60 WB	3,088	7,651	65.74	87.71%	78.37%	63.44%	40.36%	7.70%	0.75%	0.13%	0.04%	0.01%	1			74.26	40.4%	
			3	6-Oct-05	70/60 WB	2,963	8,021	64.59	83.58%	73.11%	58.40%	36.94%	6.33%	0.52%	0.14%	0.05%					73.96	36.9%	
			TOTAL					9,022	22,830	65.46	86.41%	77.00%	62.43%	39.52%	7.47%	0.76%	0.14%	0.04%	0.00%	1			74.20



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region NCR	State Func. Class R-2	85th Pct.	% AT & ABOVE POSTED SPEED
22	PTR R037	SR-20 MP-191.90 WINTHROP	1	4-Oct-05	60/60 EB	251	779	56.78	64.83%	32.22%	7.19%	1.80%	1.03%	0.13%					1			63.84	32.2%
			2	4-Oct-05	60/60 WB	201	768	55.19	52.34%	26.17%	7.03%	0.78%	0.26%									63.34	26.2%
			3	5-Oct-05	60/60 EB	252	792	56.89	64.52%	31.82%	9.72%	1.64%	0.51%	0.38%	0.13%	0.13%					64.20	31.8%	
			4	5-Oct-05	60/60 WB	167	791	54.70	48.93%	21.11%	5.82%	1.01%	0.13%									62.44	21.1%
			5	6-Oct-05	60/60 EB	258	861	56.33	59.70%	29.97%	8.13%	2.56%	0.70%	0.12%								63.83	30.0%
			6	6-Oct-05	60/60 WB	166	775	54.77	48.77%	21.42%	5.42%	0.52%	0.13%									62.45	21.4%
			TOTAL					1,295	4,766	55.79	56.59%	27.17%	7.24%	1.41%	0.46%	0.10%	0.02%	0.02%					63.35



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
25	PTR R020	SR-17 MP-30.37 OTHELLO	1	4-Oct-05	60/60NB	1,664	2,800	59.70	83.54%	59.43%	15.79%	1.79%	0.43%	0.18%	0.04%	0.04%						65.74	59.4%
			2	4-Oct-05	60/60SB	1,763	2,775	59.94	85.19%	63.53%	17.01%	1.37%	0.36%	0.11%	0.07%	0.04%						66.09	63.5%
			3	5-Oct-05	60/60NB	1,571	2,764	59.69	85.09%	56.84%	13.57%	1.30%	0.29%	0.07%	0.07%						64.06	56.8%	
			4	5-Oct-05	60/60SB	1,720	2,740	59.99	87.01%	62.77%	14.89%	1.28%	0.29%	0.04%	0.04%	0.04%						65.34	62.8%
			5	6-Oct-05	60/60NB	1,687	3,019	59.38	82.44%	55.88%	14.18%	1.36%	0.23%	0.03%							65.26	55.9%	
			6	6-Oct-05	60/60SB	1,798	2,995	59.31	83.91%	60.03%	14.09%	0.97%										65.26	60.0%
TOTAL					10,203	17,093	59.66	84.48%	59.69%	14.90%	1.34%	0.26%	0.07%	0.04%	0.02%	0.01%					65.29	59.7%	



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING

HIGHWAY USAGE BRANCH


QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER


October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region ER	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
34	PTR R036	I-90 MP- 285.00 SPOKANE / SPRAGUE AVE	1	4-Oct-05	60/60 EB	33,182	51,655	61.35	94.53%	64.24%	18.33%	1.53%	0.18%	0.05%	0.02%	0.00%	0.00%	1				66.42	64.2%
			2	4-Oct-05	60/60 WB	33,575	43,663	62.52	97.22%	76.90%	24.41%	2.79%	0.30%	0.06%	0.02%	0.01%	0.00%					67.58	76.9%
			3	5-Oct-05	60/60 EB	33,042	52,086	61.21	94.10%	63.44%	17.23%	1.35%	0.20%	0.05%	0.02%	0.00%	0.00%					66.14	63.4%
			4	5-Oct-05	60/60 WB	32,517	44,040	61.82	94.73%	73.84%	23.39%	2.80%	0.32%	0.07%	0.02%	0.01%	0.00%					67.45	73.8%
			5	6-Oct-05	60/60 EB	34,171	53,531	61.29	94.06%	63.83%	18.29%	1.31%	0.17%	0.04%	0.01%	0.01%	0.00%	2				66.40	63.8%
			6	6-Oct-05	60/60 WB	34,041	45,002	62.36	96.48%	75.64%	24.41%	2.49%	0.28%	0.06%	0.02%	0.01%	0.00%	1				67.55	75.6%
TOTAL						200,528	289,977	61.72	95.10%	69.15%	20.75%	1.99%	0.24%	0.05%	0.02%	0.01%	0.00%	4				66.92	69.2%


AVERAGE SPEED / 85TH PERCENTILE



DIFFERENTIAL SPLIT = 85TH PERCENTILE MINUS AVG SPD BY DIRECTION



VEH OBSERVED / AT & ABOVE POSTED SPEED



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region SCR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
35	PTR R081	I-182 MP-6.34 PASCO	1	4-Oct-05	70/60 EB	2,478	5,216	68.61	98.43%	94.52%	70.25%	47.51%	12.79%	1.44%	0.36%	0.12%	0.06%	1				75.04	47.5%
			2	4-Oct-05	70/60 WB	2,872	5,510	69.71	98.98%	95.08%	76.62%	52.12%	20.07%	2.50%	0.38%	0.13%	0.02%				76.87	52.1%	
			3	5-Oct-05	70/60 EB	2,795	5,311	69.37	98.68%	94.56%	76.73%	52.63%	14.95%	2.49%	0.40%	0.17%	0.11%				75.35	52.6%	
			4	5-Oct-05	70/60 WB	2,701	5,506	69.18	98.95%	95.21%	73.43%	49.06%	16.29%	2.05%	0.42%	0.13%	0.04%	1				75.90	49.1%
			5	6-Oct-05	70/60 EB	3,007	5,814	68.97	98.73%	94.58%	73.24%	51.72%	12.23%	1.50%	0.38%	0.15%				75.01	51.7%		
			6	6-Oct-05	70/60 WB	3,187	5,776	70.15	99.01%	95.91%	78.38%	55.18%	21.95%	4.02%	0.62%	0.12%	0.03%				77.35	55.2%	
			TOTAL						17,040	33,133	69.34	98.80%	94.99%	74.82%	51.43%	16.43%	2.35%	0.43%	0.14%	0.04%	3		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
36	PTR R051	I-205 MP-29.09 MILL PLAIN	1	25-Oct-05	60/60 SB	32,823	57,843	59.86	81.84%	56.74%	24.17%	5.67%	1.00%	0.16%	0.03%	0.02%	0.01%	1	1	SWR	U-5	67.88	56.7%
			2	26-Oct-05	60/60 SB	35,445	59,364	60.54	84.30%	59.71%	25.07%	5.85%	1.06%	0.18%	0.04%	0.01%	0.01%	3				68.02	59.7%
			3	27-Oct-05	60/60 SB	36,452	58,980	60.91	87.21%	61.80%	25.52%	5.72%	0.96%	0.14%	0.04%	0.01%	0.00%	3				68.05	61.8%
			TOTAL					104,720	176,187	60.44	84.47%	59.44%	24.93%	5.75%	1.01%	0.16%	0.04%	0.01%				0.00%	4



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
40	WIM P02	SR-2 MP-179.10 COULEE CITY	1	25-Oct-05	65/60 EB	91	204	63.08	91.67%	75.00%	44.61%	9.80%	3.43%	1.47%	0.98%	0.49%			5	NCR	R-1	69.68	44.6%
			2	25-Oct-05	65/60 WB	94	233	63.27	90.99%	79.83%	40.34%	13.73%	4.29%	1.72%	0.43%							70.18	40.3%
			3	26-Oct-05	65/60 EB	67	148	63.17	93.24%	78.38%	45.27%	11.49%	2.03%	1.35%								69.92	45.3%
			4	26-Oct-05	65/60 WB	84	234	61.99	88.89%	71.37%	35.90%	10.68%	2.14%	1.28%	0.43%							69.58	35.9%
			5	27-Oct-05	65/60 EB	72	196	61.78	84.69%	75.00%	36.73%	8.16%	3.06%	1.53%	0.51%							69.25	36.7%
			6	27-Oct-05	65/60 WB	118	271	63.17	89.67%	72.32%	43.54%	12.18%	4.43%	1.11%	0.37%							69.96	43.5%
TOTAL						526	1,286	62.75	89.74%	75.04%	40.90%	11.12%	3.34%	1.40%	0.47%	0.08%						69.76	40.9%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED		
41	WIM P11	SR-97 MP-250.35 PATEROS	1	25-Oct-05	60/60 NB	1,275	1,828	61.95	96.28%	69.75%	18.54%	4.81%	0.93%	0.38%	0.11%							66.73	69.7%		
			2	25-Oct-05	60/60 SB	1,327	1,997	61.39	95.79%	66.45%	14.27%	2.15%	0.40%	0.25%								65.29	66.4%		
			3	26-Oct-05	60/60 NB	1,235	1,880	61.29	93.46%	65.69%	16.44%	2.98%	0.48%	0.05%								65.99	65.7%		
			4	26-Oct-05	60/60 SB	1,269	1,987	60.99	93.91%	63.87%	12.28%	2.32%	0.25%	0.15%								65.10	63.9%		
			5	27-Oct-05	60/60 NB	1,225	1,838	61.43	94.94%	66.65%	15.45%	2.77%	0.65%	0.11%	0.05%							65.64	66.6%		
			6	27-Oct-05	60/60 SB	1,389	2,031	61.58	95.32%	68.39%	15.51%	2.95%	0.84%	0.20%	0.15%	0.05%						65.67	68.4%		
			TOTAL						7,720	11,561	61.43	94.95%	66.78%	15.36%	2.98%	0.59%	0.19%	0.05%	0.01%					65.73	66.8%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED	
43	PTR R041	SR-97 MP-15.17 GOLDENDALE	1	25-Oct-05	60/60 NB	1,055	2,034	59.65	86.04%	51.87%	13.18%	1.62%	0.44%									65.12	51.9%	
			2	25-Oct-05	60/60 SB	1,252	2,122	60.67	90.39%	59.00%	16.87%	2.69%	0.24%	0.09%									66.11	59.0%
			3	26-Oct-05	60/60 NB	1,064	2,078	59.69	86.96%	51.20%	12.22%	1.88%	0.05%									65.01	51.2%	
			4	26-Oct-05	60/60 SB	1,178	2,173	60.35	89.19%	54.21%	15.28%	3.08%	0.64%	0.09%									65.58	54.2%
			5	27-Oct-05	60/60 NB	1,175	2,179	59.90	88.80%	53.92%	11.47%	1.61%	0.28%									64.95	53.9%	
			6	27-Oct-05	60/60 SB	1,317	2,334	60.41	89.16%	56.43%	15.47%	2.19%	0.30%	0.13%	0.04%	0.04%							65.64	56.4%
			TOTAL					7,041	12,897	60.15	88.62%	54.59%	14.14%	2.19%	0.33%	0.05%	0.01%	0.01%						65.40



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED	
44	PTR R075	SR-12 MP-77.78 SALKUM	1	25-Oct-05	55/55 EB	2,459	3,214	57.24	76.51%	21.87%	1.28%	0.25%	0.06%	0.03%	0.03%							62.09	76.5%	
			2	25-Oct-05	55/55 WB	1,372	2,143	55.30	64.02%	19.69%	2.43%	0.42%	0.19%	0.05%								61.79	64.0%	
			3	26-Oct-05	55/55 EB	2,525	3,169	57.52	79.68%	24.39%	1.45%	0.19%										62.46	79.7%	
			4	26-Oct-05	55/55 WB	1,386	2,164	55.16	64.05%	19.04%	1.85%	0.18%	0.05%									61.61	64.0%	
			5	27-Oct-05	55/55 EB	2,626	3,229	57.62	81.33%	24.16%	1.89%	0.22%	0.03%									62.47	81.3%	
			6	27-Oct-05	55/55 WB	1,421	2,114	55.77	67.22%	20.01%	2.74%	0.47%											61.88	67.2%
			TOTAL						11,789	16,033	56.64	73.53%	21.91%	1.86%	0.27%	0.05%	0.01%	0.01%						62.05



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
47	PTR R061	SR-395 MP-36.24 ELTOPIA	1	25-Oct-05	70/60 NB	2,478	5,216	68.61	98.43%	94.52%	70.25%	47.51%	12.79%	1.44%	0.36%	0.12%	0.06%	1				75.04	47.5%
			2	25-Oct-05	70/60 SB	2,872	5,510	69.71	98.98%	95.08%	76.62%	52.12%	20.07%	2.50%	0.38%	0.13%	0.02%				76.87	52.1%	
			3	26-Oct-05	70/60 NB	2,795	5,311	69.37	98.68%	94.56%	76.73%	52.63%	14.95%	2.49%	0.40%	0.17%	0.11%	1				75.35	52.6%
			4	26-Oct-05	70/60 SB	2,701	5,506	69.18	98.95%	95.21%	73.43%	49.06%	16.29%	2.05%	0.42%	0.13%	0.04%	1				75.90	49.1%
			5	27-Oct-05	70/60 NB	3,007	5,814	68.97	98.73%	94.58%	73.24%	51.72%	12.23%	1.50%	0.38%	0.15%				75.01	51.7%		
			6	27-Oct-05	70/60 SB	3,187	5,776	70.15	99.01%	95.91%	78.38%	55.18%	21.95%	4.02%	0.62%	0.12%	0.03%				77.35	55.2%	
			TOTAL						17,040	33,133	69.34	98.80%	94.99%	74.82%	51.43%	16.43%	2.35%	0.43%	0.14%	0.04%	3		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
48	WIM P-28	SR-2 MP-301.40 CHATTAROY	1	25-Oct-05	60/60 EB	5,789	8,844	61.17	93.57%	65.46%	15.26%	1.76%	0.14%	0.03%	0.02%							65.55	65.5%
			2	25-Oct-05	60/60 WB	5,895	9,107	61.15	94.09%	64.73%	14.98%	2.00%	0.29%	0.03%	0.02%							65.35	64.7%
			3	26-Oct-05	60/60 EB	5,534	8,595	61.11	93.96%	64.39%	14.19%	1.68%	0.17%	0.03%								65.27	64.4%
			4	26-Oct-05	60/60 WB	5,586	8,802	61.01	94.54%	63.46%	13.25%	1.65%	0.15%	0.03%	0.01%							65.18	63.5%
			5	27-Oct-05	60/60 EB	5,874	8,928	61.19	94.41%	65.79%	14.08%	1.58%	0.20%	0.02%								65.26	65.8%
			6	27-Oct-05	60/60 WB	6,240	9,030	61.66	96.10%	69.10%	17.69%	2.30%	0.33%	0.08%	0.03%	0.02%						66.31	69.1%
			TOTAL					34,918	53,306	61.22	94.45%	65.50%	14.92%	1.83%	0.21%	0.04%	0.02%	0.00%					



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
49	WIM P-15	SR-195 MP-87.70 SPANGLE	1	25-Oct-05	60/60 NB	2,792	4,347	61.08	92.78%	64.23%	14.47%	2.00%	0.30%	0.16%	0.02%	0.02%						65.30	64.2%
			2	25-Oct-05	60/60 SB	2,926	4,397	61.46	92.54%	66.55%	18.67%	2.84%	0.52%	0.20%	0.07%	0.02%						66.59	66.5%
			3	26-Oct-05	60/60 NB	2,687	4,473	60.68	91.53%	60.07%	12.45%	1.88%	0.38%	0.04%								65.09	60.1%
			4	26-Oct-05	60/60 SB	2,548	4,337	60.58	89.53%	58.75%	14.04%	2.17%	0.21%	0.02%								65.25	58.8%
			5	27-Oct-05	60/60 NB	2,964	4,713	61.05	92.91%	62.89%	14.56%	2.33%	0.45%	0.15%	0.04%	0.02%						65.31	62.9%
			6	27-Oct-05	60/60 SB	3,084	4,660	61.53	92.92%	66.18%	19.61%	3.24%	0.52%	0.13%	0.02%							66.84	66.2%
			TOTAL					17,001	26,927	61.07	92.06%	63.14%	15.66%	2.42%	0.40%	0.12%	0.03%	0.01%					



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region SCR	State Func. Class R-2	85th Pct.	% AT & ABOVE POSTED SPEED
56	WIM P-17	SR-221 MP-13.10 PROSSER	1	25-Oct-05	65/60 NB	804	4,426	61.62	92.97%	68.69%	18.17%	3.71%	0.79%	0.25%	0.11%	0.05%					66.53	18.2%	
			2	25-Oct-05	65/60 SB	951	4,264	62.22	94.02%	72.65%	22.30%	5.42%	0.91%	0.40%	0.21%	0.05%					67.58	22.3%	
			3	26-Oct-05	65/60 NB	761	4,404	61.42	92.35%	67.17%	17.28%	2.97%	0.39%	0.07%	0.05%	0.02%					66.24	17.3%	
			4	26-Oct-05	65/60 SB	869	4,235	61.99	93.70%	71.45%	20.52%	4.58%	0.92%	0.26%	0.09%	0.05%					67.15	20.5%	
			5	27-Oct-05	65/60 NB	733	4,404	61.33	91.35%	66.35%	16.64%	3.45%	0.66%	0.09%	0.02%					66.07	16.6%		
			6	27-Oct-05	65/60 SB	982	4,213	62.43	94.33%	72.99%	23.31%	6.48%	1.88%	0.62%	0.12%	0.02%					67.88	23.3%	
			TOTAL					5,100	25,946	61.83	93.10%	69.83%	19.66%	4.41%	0.92%	0.28%	0.10%	0.03%					66.91



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
57	WIM-B-04	I-90 MP-82.70 CLE ELUM	1	1-Nov-05	70/60 EB	2,838	10,168	66.04	97.49%	86.24%	54.08%	27.91%	5.82%	0.91%	0.11%	0.02%						73.32	27.9%
			2	1-Nov-05	70/60 WB	2,944	10,019	65.41	94.21%	77.98%	52.43%	29.38%	6.01%	0.72%	0.13%	0.04%						73.47	29.4%
			3	2-Nov-05	70/60 EB	3,900	10,229	67.55	99.07%	91.90%	62.56%	38.13%	8.97%	1.45%	0.33%	0.07%						74.34	38.1%
			4	2-Nov-05	70/60 WB	3,839	10,185	66.88	96.92%	84.59%	60.72%	37.69%	8.22%	1.05%	0.20%	0.04%						74.22	37.7%
			5	3-Nov-05	70/60 EB	2,771	10,535	65.66	96.53%	84.52%	52.45%	26.30%	4.73%	0.60%	0.08%	0.01%						73.02	26.3%
			6	3-Nov-05	70/60 WB	3,003	10,978	65.28	94.12%	78.81%	52.34%	27.35%	5.02%	0.52%	0.05%	0.01%						73.16	27.4%
			TOTAL						19,295	62,114	66.13	96.37%	83.96%	55.72%	31.06%	6.44%	0.87%	0.15%	0.03%				73.59



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
58	PTR R001	I-5 MP-207.76 MARYSVILLE	1	1-Nov-05	70/60 NB	11,481	35,699	67.31	98.23%	91.81%	65.93%	32.16%	8.52%	0.86%	0.10%	0.04%	0.01%					74.01	32.2%
			2	1-Nov-05	70/60 SB	9,163	36,658	65.78	95.88%	85.34%	58.63%	25.00%	4.65%	0.42%	0.06%	0.02%	0.00%	1				72.86	25.0%
			3	2-Nov-05	70/60 NB	14,886	36,322	68.50	98.82%	93.85%	73.21%	40.98%	12.68%	1.46%	0.18%	0.07%	0.03%	4				74.95	41.0%
			4	2-Nov-05	70/60 SB	13,824	37,591	67.57	97.55%	90.54%	70.53%	36.77%	8.60%	0.80%	0.10%	0.04%	0.01%	1				74.24	36.8%
			5	3-Nov-05	70/60 NB	12,649	37,208	67.56	98.41%	92.11%	67.33%	34.00%	9.47%	0.98%	0.13%	0.05%	0.03%	6				74.25	34.0%
			6	3-Nov-05	70/60 SB	11,582	37,803	66.75	96.96%	88.63%	64.95%	30.64%	6.66%	0.62%	0.10%	0.03%	0.02%	4				73.65	30.6%
			TOTAL						73,585	221,281	67.24	97.63%	90.37%	66.77%	33.25%	8.42%	0.86%	0.11%	0.04%	0.02%	16		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region ER	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
59	WIM-P-10	I-90 MP-218.83 RITZVILLE	1	1-Nov-05	70/60 EB	1,622	3,552	68.57	99.75%	94.48%	68.33%	45.66%	11.29%	2.42%	0.45%	0.03%						74.82	45.7%
			2	1-Nov-05	70/60 WB	1,502	3,478	68.09	99.48%	92.73%	67.65%	43.19%	8.65%	0.92%	0.23%	0.03%						74.45	43.2%
			3	2-Nov-05	70/60 EB	1,496	3,399	68.11	98.91%	92.88%	65.90%	44.01%	9.50%	1.82%	0.35%	0.09%						74.57	44.0%
			4	2-Nov-05	70/60 WB	1,522	3,396	68.21	99.09%	91.99%	67.26%	44.82%	10.07%	1.77%	0.44%	0.09%						74.66	44.8%
			5	3-Nov-05	70/60 EB	1,632	3,762	68.17	99.34%	93.43%	68.31%	43.38%	8.53%	1.22%	0.24%	0.08%						74.44	43.4%
			6	3-Nov-05	70/60 WB	1,733	3,859	68.29	99.35%	91.86%	68.46%	44.91%	9.82%	1.89%	0.54%	0.10%						74.63	44.9%
			TOTAL						9,507	21,446	68.24	99.32%	92.89%	67.69%	44.33%	9.64%	1.67%	0.38%	0.07%				74.60



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
60	PTR S826	I-90 MP-23.54 PRESTON	1	1-Nov-05	70/60 EB	10,288	22,184	68.84	97.91%	89.79%	74.34%	46.38%	16.49%	3.02%	0.43%	0.11%	0.05%	6				75.99	46.4%
			2	1-Nov-05	70/60 WB	12,211	22,504	70.29	99.65%	97.23%	84.37%	54.26%	18.13%	2.71%	0.40%	0.11%	0.03%	2				76.45	54.3%
			3	2-Nov-05	70/60 EB	9,238	22,757	67.81	96.68%	87.07%	68.95%	40.59%	11.96%	2.27%	0.43%	0.13%	0.05%	5				74.83	40.6%
			4	2-Nov-05	70/60 WB	13,952	22,901	71.02	99.52%	97.17%	86.07%	60.92%	22.68%	4.35%	0.70%	0.19%	0.03%	1				77.50	60.9%
			5	3-Nov-05	70/60 EB	9,584	22,275	68.45	97.88%	89.85%	73.42%	43.03%	13.57%	2.29%	0.29%	0.12%	0.02%	1				75.11	43.0%
			6	3-Nov-05	70/60 WB	13,022	22,769	70.68	99.61%	97.69%	85.59%	57.19%	20.39%	3.58%	0.54%	0.14%	0.04%	5				77.02	57.2%
			TOTAL						68,295	135,390	69.52	98.55%	93.15%	78.83%	50.44%	17.22%	3.04%	0.47%	0.13%	0.04%	20		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED	
61	WIM P-29	I-82 MP-34.02 YAKIMA	1	1-Nov-05	60/60 EB	9,162	21,334	59.10	84.15%	42.95%	7.14%	0.73%	0.09%	0.01%								64.28	42.9%	
			2	1-Nov-05	60/60 WB	10,108	20,334	59.81	89.23%	49.71%	8.61%	1.02%	0.15%	0.03%	0.01%	0.00%						64.59	49.7%	
			3	2-Nov-05	60/60 EB	9,749	21,523	59.42	86.56%	45.30%	8.25%	0.89%	0.18%	0.03%	0.01%							64.46	45.3%	
			4	2-Nov-05	60/60 WB	11,472	20,392	60.49	92.75%	56.26%	11.39%	1.41%	0.21%	0.06%	0.02%								64.96	56.3%
			5	3-Nov-05	60/60 EB	5,219	18,838	52.73	60.10%	27.70%	3.92%	0.32%	0.06%	0.02%									63.07	27.7%
			6	3-Nov-05	60/60 WB	10,071	21,193	59.59	87.25%	47.52%	8.59%	1.05%	0.11%	0.02%	0.00%								64.54	47.5%
			TOTAL						55,781	123,614	58.62	83.69%	45.13%	8.03%	0.91%	0.13%	0.03%	0.01%	0.00%					64.31



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
62	WIM P-09	I-82 MP-121.20 PLYMOUTH	1	1-Nov-05	70/60 EB	3,122	7,276	68.18	98.75%	90.60%	67.55%	42.91%	11.83%	2.67%	0.69%	0.15%						74.85	42.9%
			2	1-Nov-05	70/60 WB	1,853	6,553	64.26	84.10%	74.09%	57.42%	28.28%	5.30%	0.66%	0.11%	0.06%						73.28	28.3%
			3	2-Nov-05	70/60 EB	3,446	7,219	68.92	99.39%	92.77%	72.61%	47.74%	13.48%	2.77%	0.62%	0.11%						75.13	47.7%
			4	2-Nov-05	70/60 WB	2,028	6,586	65.04	86.53%	76.16%	61.02%	30.79%	5.92%	0.80%	0.18%	0.02%						73.56	30.8%
			5	3-Nov-05	70/60 EB	3,110	7,191	68.20	98.71%	90.59%	68.60%	43.25%	11.32%	2.28%	0.50%	0.06%						74.79	43.2%
			6	3-Nov-05	70/60 WB	2,069	6,736	64.98	85.63%	75.89%	60.38%	30.72%	6.34%	1.04%	0.18%	0.06%						73.61	30.7%
			TOTAL						15,628	41,561	66.68	92.48%	83.70%	64.82%	37.60%	9.17%	1.74%	0.39%	0.08%				



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region OR	State Func. Class U-1	85th Pct.	% AT & ABOVE POSTED SPEED	
63	PTR R050	SR-3 MP-44.33 SILVERDALE	1	1-Nov-05	60/60 NB	15,088	22,496	61.44	93.11%	67.07%	18.51%	1.98%	0.37%	0.10%	0.05%	0.02%	0.00%	1				66.49	67.1%	
			2	1-Nov-05	60/60 SB	15,446	22,551	62.16	95.57%	68.49%	26.30%	3.44%	0.51%	0.08%	0.02%				1				67.87	68.5%
			3	2-Nov-05	60/60 NB	17,267	22,791	62.61	96.12%	75.76%	26.97%	3.95%	0.75%	0.18%	0.05%	0.04%	0.01%	1				68.00	75.8%	
			4	2-Nov-05	60/60 SB	16,402	22,829	62.56	96.28%	71.85%	29.45%	4.20%	0.59%	0.13%	0.04%	0.02%	0.01%	1				68.26	71.8%	
			5	3-Nov-05	60/60 NB	15,705	22,320	61.80	94.04%	70.36%	20.62%	2.48%	0.42%	0.12%	0.04%	0.02%	0.00%				66.97	70.4%		
			6	3-Nov-05	60/60 SB	15,572	22,433	62.27	95.89%	69.42%	27.72%	3.49%	0.51%	0.08%	0.03%	0.01%	0.01%	1				68.02	69.4%	
			TOTAL					95,480	135,420	62.14	95.17%	70.51%	24.95%	3.26%	0.53%	0.12%	0.04%	0.02%	0.01%	3				67.60



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
64	PTR R045	I-5 MP-20.71 WOODLAND	1	1-Nov-05	70/60 NB	14,528	28,922	69.13	98.93%	92.04%	69.19%	50.23%	19.36%	3.66%	0.37%	0.07%	0.02%	1			76.81	50.2%	
			2	1-Nov-05	70/60 SB	13,832	29,948	68.75	99.01%	92.36%	69.51%	46.19%	16.41%	2.35%	0.41%	0.08%	0.02%	4			75.94	46.2%	
			3	2-Nov-05	70/60 NB	16,773	30,706	69.70	99.17%	93.62%	71.78%	54.62%	21.66%	3.99%	0.41%	0.08%	0.03%	3			77.30	54.6%	
			4	2-Nov-05	70/60 SB	16,257	30,976	69.54	99.22%	93.39%	72.96%	52.48%	20.58%	2.80%	0.41%	0.05%	0.02%	5			76.99	52.5%	
			5	3-Nov-05	70/60 NB	14,109	30,341	68.62	98.45%	90.99%	67.79%	46.50%	16.72%	2.94%	0.29%	0.07%	0.03%	2			76.06	46.5%	
			6	3-Nov-05	70/60 SB	12,113	30,828	67.69	98.16%	89.12%	65.42%	39.29%	11.83%	1.30%	0.18%	0.02%	0.01%	1			74.79	39.3%	
TOTAL						87,612	181,721	68.90	98.82%	91.92%	69.45%	48.21%	17.75%	2.83%	0.34%	0.06%	0.02%	16			76.31	48.2%	



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region OR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
65	PTR R019	I-5 MP-86.32 GRANDMOUND	1	1-Nov-05	70/60 NB	9,938	25,387	68.12	99.45%	93.45%	67.70%	39.15%	11.93%	1.57%	0.17%	0.04%						74.80	39.1%
			2	1-Nov-05	70/60 SB	10,182	26,236	67.83	99.29%	92.85%	65.70%	38.81%	9.96%	1.08%	0.18%	0.05%	0.01%					74.49	38.8%
			3	2-Nov-05	70/60 NB	10,412	26,538	67.02	95.76%	89.63%	63.49%	39.23%	13.07%	1.86%	0.23%	0.05%	0.01%					74.99	39.2%
			4	2-Nov-05	70/60 SB	10,490	26,801	67.75	98.99%	92.40%	64.23%	39.14%	10.12%	1.14%	0.18%	0.01%	0.01%	1				74.53	39.1%
			5	3-Nov-05	70/60 NB	10,234	26,539	67.88	98.76%	92.25%	65.32%	38.56%	12.08%	1.58%	0.26%	0.05%	0.01%					74.81	38.6%
			6	3-Nov-05	70/60 SB	9,167	27,182	66.89	98.34%	88.59%	59.43%	33.72%	7.60%	1.07%	0.21%	0.03%	0.01%					73.96	33.7%
			TOTAL						60,423	158,683	67.57	98.42%	91.50%	64.26%	38.08%	10.77%	1.38%	0.20%	0.04%	0.01%	1		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
66	PTR R034	I-5 MP-131.18 48TH ST TACOMA	1	1-Nov-05	60/60 NB	29,627	81,249	53.70	60.21%	36.46%	14.28%	2.50%	0.45%	0.10%	0.04%	0.01%	0.00%	1				65.19	36.5%
			2	1-Nov-05	60/60 SB	38,630	93,229	57.98	67.70%	41.44%	14.20%	2.51%	0.38%	0.09%	0.02%	0.02%	0.01%	2				65.21	41.4%
			3	2-Nov-05	60/60 NB	40,885	92,890	58.17	72.74%	44.01%	16.92%	2.68%	0.41%	0.10%	0.04%	0.02%	0.01%	5				66.11	44.0%
			4	2-Nov-05	60/60 SB	47,170	95,118	58.76	71.45%	49.59%	21.58%	5.08%	0.83%	0.17%	0.04%	0.02%	0.01%	7				67.40	49.6%
			5	3-Nov-05	60/60 NB	36,164	91,467	56.18	65.54%	39.54%	14.39%	2.31%	0.37%	0.09%	0.02%	0.02%	0.01%	3				65.23	39.5%
			6	3-Nov-05	60/60 SB	39,989	95,639	57.56	64.32%	41.81%	16.85%	3.43%	0.54%	0.14%	0.06%	0.02%	0.01%	7				66.13	41.8%
			TOTAL					232,465	549,592	57.14	67.14%	42.30%	16.44%	3.11%	0.50%	0.12%	0.04%	0.02%	0.01%	25			



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
67	PTR S837	I-5 MP-136.80 FIFE	1	1-Nov-05	60/60 NB	40,885	83,462	55.53	66.27%	48.99%	20.10%	3.48%	0.53%	0.11%	0.04%	0.01%	0.01%	2	1	OR	U-5	66.96	49.0%
			2	1-Nov-05	60/60 SB	39,179	87,970	57.44	67.68%	44.54%	17.16%	2.60%	0.42%	0.06%	0.01%	0.00%	0.00%	2				66.18	44.5%
			3	2-Nov-05	60/60 NB	60,355	89,339	60.46	86.46%	67.56%	28.67%	5.23%	0.73%	0.13%	0.03%	0.01%	0.00%	1				68.31	67.6%
			4	2-Nov-05	60/60 SB	52,023	88,875	57.93	73.18%	58.54%	29.49%	6.84%	1.02%	0.16%	0.04%	0.01%	0.01%	1				68.58	58.5%
			5	3-Nov-05	60/60 NB	53,711	89,811	60.47	86.56%	59.80%	21.32%	3.62%	0.55%	0.11%	0.05%	0.02%	0.00%	1				67.20	59.8%
			6	3-Nov-05	60/60 SB	40,739	90,881	55.87	62.61%	44.83%	18.89%	2.86%	0.40%	0.08%	0.03%	0.01%	0.00%	3				66.64	44.8%
			TOTAL						286,892	527,843	58.05	74.22%	54.35%	22.74%	4.13%	0.61%	0.11%	0.03%				0.01%	0.00%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	State Func. Class U-5	Region NWR	85th Pct.	% AT & ABOVE POSTED SPEED
68	PTR S809S	I-5 MP-148.07 MIDWAY	1	1-Nov-05	60/60 SB	37,979	93,615	58.24	73.34%	40.57%	12.52%	1.98%	0.38%	0.09%	0.03%	0.00%						64.92	40.6%
			2	2-Nov-05	60/60 SB	43,937	88,999	54.78	66.22%	49.37%	21.52%	3.89%	0.69%	0.13%	0.04%	0.01%	0.01%	4				67.26	49.4%
			3	3-Nov-05	60/60 SB	42,585	96,578	56.63	67.30%	44.09%	16.16%	2.64%	0.50%	0.11%	0.04%	0.01%	0.01%	2				65.87	44.1%
			TOTAL			124,501	279,192	56.58	68.98%	44.59%	16.65%	2.81%	0.52%	0.11%	0.04%	0.01%	0.00%	6				66.02	44.6%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
69	WIM P-3N P-3S	I-5 MP-176.72 SEATTLE / NE 185TH ST	1 2 3 4 5 6	CONSTRUCTION ACTIVITIES NO DATA AVAILABLE AT THIS TIME	60/60 NB 60/60 SB 60/60 NB 60/60 SB 60/60 NB 60/60 SB														1	NWR	U-5		
TOTAL																							



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
70	WIM	I-5	1	8-Nov-05	60/60 NB	47,442	90,246	58.66	75.75%	52.57%	19.59%	3.23%	0.39%	0.08%	0.02%	0.00%						66.82	52.6%
	P1N	P-1N	2	8-Nov-05	60/60 SB	49,648	89,025	59.87	81.64%	55.77%	19.02%	2.55%	0.35%	0.06%	0.02%	0.00%						66.65	55.8%
	P1S	MP-184.48	3	9-Nov-05	60/60 NB	47,214	89,832	58.87	76.99%	52.56%	19.52%	3.28%	0.35%	0.04%	0.01%	0.00%						66.81	52.6%
		P-1S	4	10-Nov-05	60/60 SB	52,029	92,092	60.03	82.66%	56.50%	19.11%	2.48%	0.29%	0.06%	0.01%	0.00%						66.66	56.5%
		MP-185.30	5	10-Nov-05	60/60 NB	37,374	87,587	54.51	62.44%	42.67%	15.43%	2.50%	0.24%	0.05%	0.01%	0.00%						65.62	42.7%
		EVERETT	6	10-Nov-05	60/60 SB	39,532	94,359	57.75	69.49%	41.90%	11.95%	1.51%	0.20%	0.03%	0.01%	0.00%						64.85	41.9%
TOTAL						273,239	543,141	58.30	74.86%	50.31%	17.41%	2.58%	0.30%	0.05%	0.01%	0.00%						66.24	50.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
71	WIM P04	I-5 MP-261.33 FERNDALDE	1	15-Nov-05	70/60 NB	4,772	20,754	65.72	97.27%	84.04%	57.79%	22.99%	3.05%	0.31%	0.07%	0.01%						72.42	23.0%
			2	15-Nov-05	70/60 SB	6,654	21,570	66.76	97.54%	87.24%	65.50%	30.85%	4.73%	0.57%	0.08%	0.02%						73.42	30.8%
			3	16-Nov-05	70/60 NB	4,537	17,907	66.13	97.64%	86.23%	60.74%	25.34%	3.35%	0.45%	0.07%	0.02%						72.75	25.3%
			4	16-Nov-05	70/60 SB	5,591	17,808	66.86	97.64%	87.80%	66.09%	31.40%	4.81%	0.57%	0.09%							73.47	31.4%
			5	17-Nov-05	70/60 NB	5,337	21,439	66.08	97.65%	86.01%	60.51%	24.89%	3.31%	0.37%	0.08%	0.02%						72.70	24.9%
			6	17-Nov-05	70/60 SB	7,414	22,152	67.26	98.12%	89.34%	69.33%	33.47%	5.48%	0.64%	0.09%	0.02%						73.68	33.5%
			TOTAL						34,305	121,630	66.48	97.65%	86.79%	63.39%	28.20%	4.14%	0.49%	0.08%	0.02%				



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
72	WIM P-08	I-82 MP-48.50 BUENA	1	15-Nov-05	70/60 EB	4,963	11,082	68.52	99.58%	93.70%	74.69%	44.78%	7.70%	0.89%	0.14%	0.03%						74.39	44.8%
			2	15-Nov-05	70/60 WB	5,096	10,830	68.65	99.35%	92.49%	76.69%	47.05%	7.79%	0.70%	0.12%	0.02%						74.45	47.1%
			3	16-Nov-05	70/60 EB	5,005	11,079	68.56	99.50%	93.59%	75.47%	45.18%	7.36%	0.95%	0.18%	0.03%						74.36	45.2%
			4	16-Nov-05	70/60 WB	5,279	10,995	68.80	99.28%	93.09%	77.09%	48.01%	8.18%	1.16%	0.23%	0.03%						74.51	48.0%
			5	17-Nov-05	70/60 EB	5,233	11,432	68.66	99.60%	93.98%	76.02%	45.78%	7.85%	1.01%	0.16%	0.02%						74.43	45.8%
			6	17-Nov-05	70/60 WB	5,451	11,394	68.70	99.18%	92.29%	76.33%	47.84%	8.34%	0.92%	0.12%	0.03%						74.52	47.8%
TOTAL						31,027	66,812	68.65	99.42%	93.19%	76.05%	46.44%	7.87%	0.94%	0.16%	0.02%					74.44	46.4%	



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
73	PTR S825	I-90 MP-14.65 ISSAQUAH	1	15-Nov-05	60/60 EB	40,906	60,542	61.76	85.24%	67.57%	33.80%	8.38%	1.70%	0.35%	0.09%	0.03%	0.01%	2	1	NWR		69.07	67.6%
			2	15-Nov-05	60/60 WB	41,812	60,256	60.69	83.65%	69.39%	33.82%	8.21%	1.37%	0.27%	0.09%	0.04%	0.02%	4				69.05	69.4%
			3	16-Nov-05	60/60 EB	44,556	60,790	62.94	88.98%	73.29%	39.23%	11.49%	1.93%	0.41%	0.13%	0.04%	0.02%	10				69.73	73.3%
			4	16-Nov-05	60/60 WB	44,860	61,262	61.89	87.59%	73.23%	38.44%	8.39%	1.45%	0.30%	0.12%	0.05%	0.03%	6				69.27	73.2%
			5	17-Nov-05	60/60 EB	45,168	61,908	63.02	90.25%	72.96%	38.76%	10.56%	1.72%	0.37%	0.11%	0.05%	0.01%	6				69.58	73.0%
			6	17-Nov-05	60/60 WB	45,423	62,788	61.13	85.21%	72.34%	36.87%	8.35%	1.68%	0.33%	0.10%	0.04%	0.02%	6				69.21	72.3%
			TOTAL						262,725	367,546	61.90	86.83%	71.48%	36.83%	9.23%	1.64%	0.34%	0.11%				0.04%	0.02%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region NCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
74	PTR R055	I-90 MP-180.33 MOSES LAKE	1	1-Nov-05	70/60 EB	1,825	3,871	69.05	98.76%	94.14%	71.71%	47.15%	17.31%	2.30%	0.36%	0.21%	0.08%	3	1			76.21	47.1%
			2	1-Nov-05	70/60 WB	1,958	3,880	69.77	99.54%	97.04%	75.57%	50.46%	20.67%	2.63%	0.28%	0.10%	0.08%	2				77.00	50.5%
			3	2-Nov-05	70/60 EB	1,915	3,767	69.11	99.20%	94.35%	73.77%	50.84%	13.01%	1.83%	0.29%	0.05%	0.03%					75.09	50.8%
			4	2-Nov-05	70/60 WB	2,052	3,792	69.72	99.37%	96.18%	78.09%	54.11%	14.82%	2.27%	0.53%	0.13%	0.05%	2				75.33	54.1%
			5	3-Nov-05	70/60 EB	1,850	4,087	68.39	98.41%	91.34%	71.32%	45.27%	11.50%	1.42%	0.29%	0.07%	0.02%					74.85	45.3%
			6	3-Nov-05	70/60 WB	2,240	4,270	69.52	99.48%	94.80%	77.96%	52.46%	13.96%	1.85%	0.61%	0.23%	0.14%	3				75.22	52.5%
			TOTAL						11,840	23,667	69.26	99.13%	94.61%	74.75%	50.03%	15.17%	2.04%	0.40%				0.14%	0.07%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region ER	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
75	PTR R014	I-90 MP-254.50 TYLER/FISHTRAP	1	15-Nov-05	70/60 EB	2,710	6,046	68.68	98.96%	94.99%	71.75%	44.82%	13.12%	1.41%	0.36%	0.10%	0.05%					75.06	44.8%
			2	15-Nov-05	70/60 WB	2,931	5,972	68.70	99.25%	94.89%	68.57%	49.08%	11.52%	1.56%	0.42%	0.05%					74.90	49.1%	
			3	16-Nov-05	70/60 EB	2,579	5,889	68.33	98.93%	93.39%	69.01%	43.79%	11.72%	1.17%	0.31%	0.08%	0.05%					74.85	43.8%
			4	16-Nov-05	70/60 WB	2,893	5,945	68.90	99.33%	94.55%	71.10%	48.66%	13.36%	1.90%	0.35%	0.15%	0.02%					75.12	48.7%
			5	17-Nov-05	70/60 EB	3,278	6,884	68.94	98.81%	94.03%	72.47%	47.62%	15.57%	1.64%	0.35%	0.10%	0.06%					75.66	47.6%
			6	17-Nov-05	70/60 WB	3,110	6,478	69.01	99.07%	93.56%	72.32%	48.01%	15.50%	2.64%	0.40%	0.08%	0.05%					75.65	48.0%
			TOTAL						17,501	37,214	68.77	99.05%	94.23%	70.94%	47.03%	13.55%	1.73%	0.37%	0.09%	0.04%			



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region ER	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
76	WIM-P-24	I-90 MP-298.40 STATELINE	1	6-Dec-05	70/60 EB	5,355	21,160	66.22	98.16%	87.19%	61.63%	25.31%	3.03%	0.27%	0.03%	0.01%						72.72	25.3%
			2	6-Dec-05	70/60 WB	7,129	20,766	67.42	97.64%	89.48%	69.95%	34.33%	6.89%	1.18%	0.24%	0.03%						73.90	34.3%
			3	7-Dec-05	70/60 EB	5,398	20,982	66.33	98.36%	88.22%	62.49%	25.73%	2.69%	0.28%	0.04%	0.01%						72.73	25.7%
			4	7-Dec-05	70/60 WB	7,655	21,115	67.63	97.74%	90.19%	71.98%	36.25%	7.00%	0.78%	0.12%	0.01%						74.01	36.3%
			5	8-Dec-05	70/60 EB	7,596	22,018	67.54	99.03%	91.64%	70.82%	34.50%	5.18%	0.53%	0.09%	0.02%						73.71	34.5%
			6	8-Dec-05	70/60 WB	8,349	21,786	67.98	98.09%	91.32%	74.00%	38.32%	7.81%	1.14%	0.23%	0.03%						74.20	38.3%
			TOTAL						41,482	127,827	67.19	98.18%	89.70%	68.52%	32.45%	5.44%	0.70%	0.12%	0.02%				



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 2	Region SCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
77	WIM B-03	SR-395 MP-27.20 PASCO	1	6-Dec-05	70/60 NB	1,365	5,109	65.69	97.57%	84.40%	54.20%	26.72%	2.68%	0.23%	0.04%							72.84	26.7%
			2	6-Dec-05	70/60 SB	1,957	5,326	67.31	98.35%	90.87%	64.95%	36.74%	6.12%	0.96%	0.23%	0.04%						73.93	36.7%
			3	7-Dec-05	70/60 NB	1,382	5,120	65.80	97.71%	84.59%	55.12%	26.99%	2.85%	0.29%	0.10%	0.02%						72.89	27.0%
			4	7-Dec-05	70/60 SB	2,116	5,218	67.87	98.74%	92.16%	67.78%	40.55%	8.20%	1.13%	0.29%	0.02%						74.32	40.6%
			5	8-Dec-05	70/60 NB	1,648	5,433	66.29	97.79%	86.49%	59.32%	30.33%	3.74%	0.24%	0.04%	0.02%						73.28	30.3%
			6	8-Dec-05	70/60 SB	2,153	5,357	67.80	98.47%	91.97%	67.58%	40.19%	7.82%	1.21%	0.28%	0.06%						74.27	40.2%
TOTAL						10,621	31,563	66.80	98.11%	88.45%	61.56%	33.65%	5.26%	0.68%	0.16%	0.03%						73.59	33.7%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region SCR	State Func. Class R-3	85th Pct.	% AT & ABOVE POSTED SPEED
80	PTR R077	SR-14 MP-102.27 STONEHENGE	1	6-Dec-05	65/60 EB	52	649	55.94	60.40%	23.42%	8.01%	1.39%	0.31%									63.17	8.0%
			2	6-Dec-05	65/60 WB	333	709	63.68	88.72%	71.51%	46.97%	17.91%	5.36%	2.40%	1.13%	0.85%	0.42%	1				71.63	47.0%
			3	7-Dec-05	65/60 EB	45	630	55.24	54.44%	22.38%	7.14%	0.79%										62.87	7.1%
			4	7-Dec-05	65/60 WB	323	627	64.44	90.27%	75.28%	51.52%	22.17%	6.54%	2.87%	1.28%	0.80%	0.32%	1				72.74	51.5%
			5	8-Dec-05	65/60 EB	62	724	55.50	55.66%	22.51%	8.56%	2.21%	0.14%									63.13	8.6%
			6	8-Dec-05	65/60 WB	305	678	63.62	86.73%	71.39%	44.99%	19.03%	5.75%	2.36%	1.33%	0.29%						71.98	45.0%
TOTAL						1,120	4,017	59.74	72.72%	47.77%	27.88%	10.58%	3.01%	1.27%	0.62%	0.32%	0.12%	2				67.59	27.9%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION


STRATEGIC PLANNING and PROGRAMMING

HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
82	PTR R066	SR-26	1	6-Dec-05	60/60 EB	124	664	60.07	82.38%	57.68%	18.67%	3.01%	0.75%	0.15%								66.64	18.7%
		MP-43.06	2	6-Dec-05	60/60 WB	138	636	60.56	85.06%	55.03%	21.70%	3.62%	0.79%	0.47%	0.16%							67.30	21.7%
		OTHELLO EAST	3	7-Dec-05	60/60 EB	153	731	60.92	88.51%	64.16%	20.93%	3.69%	0.82%	0.27%	0.14%							67.17	20.9%
			4	7-Dec-05	60/60 WB	159	720	61.23	90.00%	60.42%	22.08%	3.61%	1.25%	0.69%	0.28%	0.28%	0.14%					67.36	22.1%
		SPEED LIMIT CHANGED 8/17/2005	5	8-Dec-05	60/60 EB	203	773	61.70	90.94%	67.27%	26.26%	4.40%	0.39%	0.13%								68.00	26.3%
			6	8-Dec-05	60/60 WB	175	745	61.19	89.13%	60.13%	23.49%	4.97%	1.34%	0.54%	0.13%							67.73	23.5%
TOTAL						952	4,269	60.97	87.84%	61.02%	22.30%	3.91%	0.89%	0.37%	0.12%	0.05%	0.02%					67.37	22.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	
83	PTR	SR-24	1	6-Dec-05	60/60 EB	664	1,203	59.08	79.05%	55.20%	23.44%	4.57%	0.91%	0.25%	0.17%				6	SCR	R-2	67.66	55.2%
	S612	MP-43.50	2	6-Dec-05	60/60 WB	631	1,255	57.62	75.46%	50.28%	19.52%	3.59%	0.56%	0.16%	0.08%	0.08%						66.86	50.3%
		VERNITA BRIDGE	3	7-Dec-05	60/60 EB	588	1,261	57.71	76.29%	46.63%	17.84%	4.20%	0.48%	0.08%	0.08%							66.50	46.6%
			4	7-Dec-05	60/60 WB	717	1,328	58.73	78.01%	53.99%	21.76%	5.35%	1.43%	0.30%								67.49	54.0%
			5	8-Dec-05	60/60 EB	679	1,262	58.66	79.00%	53.80%	19.49%	4.91%	0.95%	0.32%	0.16%	0.08%	0.08%					66.98	53.8%
			6	8-Dec-05	60/60 WB	615	1,279	57.86	74.28%	48.08%	20.48%	4.53%	1.25%	0.31%								67.16	48.1%
TOTAL						3,894	7,588	58.27	77.00%	51.32%	20.41%	4.53%	0.94%	0.24%	0.08%	0.03%	0.03%					67.11	51.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
84	WIM P01	SR-02 MP-113.10 CASHMERE	1	13-Dec-05	60/60 EB	3,781	9,171	58.48	79.78%	41.23%	4.91%	0.21%	0.03%	0.01%					5	NCR	R-1	63.99	41.2%
			2	13-Dec-05	60/60 WB	4,011	8,994	58.83	84.30%	44.60%	4.71%	0.20%	0.03%	0.02%	0.01%							64.09	44.6%
			3	14-Dec-05	60/60 EB	4,023	9,454	58.55	79.72%	42.55%	5.43%	0.39%	0.04%									64.09	42.6%
			4	14-Dec-05	60/60 WB	4,031	9,382	58.67	83.52%	42.97%	4.10%	0.20%	0.02%	0.02%	0.01%							63.98	43.0%
			5	15-Dec-05	60/60 EB	4,171	9,605	58.68	80.41%	43.43%	5.57%	0.49%	0.07%	0.03%	0.02%	0.01%						64.13	43.4%
			6	15-Dec-05	60/60 WB	3,733	9,440	58.24	80.37%	39.54%	3.02%	0.28%	0.02%	0.01%	0.01%							63.74	39.5%
TOTAL						23,750	56,046	58.57	81.33%	42.38%	4.62%	0.30%	0.04%	0.02%	0.01%	0.00%						64.00	42.4%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED, CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
85	WIM P14	SR-195 MP-22.20 PULLMAN	1	13-Dec-05	60/60 NB	1,334	4,546	56.67	73.36%	29.34%	0.51%	0.04%	0.02%						5	ER	R-1	62.89	29.3%
			2	13-Dec-05	60/60 SB	1,248	4,531	56.33	71.11%	27.54%	0.24%	0.07%										62.70	27.5%
			3	14-Dec-05	60/60 NB	1,831	4,701	58.72	86.90%	38.95%	2.32%	0.40%	0.11%	0.04%								63.66	38.9%
			4	14-Dec-05	60/60 SB	1,671	4,685	58.38	85.04%	35.67%	1.52%	0.23%	0.06%	0.04%	0.02%							63.42	35.7%
			5	15-Dec-05	60/60 NB	1,534	4,775	57.30	77.47%	32.13%	1.28%	0.19%	0.02%									63.17	32.1%
			6	15-Dec-05	60/60 SB	1,410	4,676	57.31	75.83%	30.15%	0.51%	0.06%	0.02%									62.96	30.2%
TOTAL						9,028	27,914	57.46	78.35%	32.34%	1.07%	0.17%	0.04%	0.01%	0.00%							63.13	32.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED		
86	WIM P22	SR-97 MP-335.30 OROVILLE	1	13-Dec-05	60/60 NB	1,348	4,110	57.62	80.34%	32.80%	1.14%	0.19%	0.10%	0.05%	0.02%							63.21	32.8%		
			2	13-Dec-05	60/60 SB	1,236	4,184	56.73	74.09%	29.54%	0.43%	0.05%	0.02%									62.90	29.5%		
			3	14-Dec-05	60/60 NB	1,437	4,151	58.14	83.59%	34.62%	1.30%	0.29%	0.07%									63.34	34.6%		
			4	14-Dec-05	60/60 SB	1,282	4,171	57.37	77.92%	30.74%	0.34%	0.07%	0.02%									62.99	30.7%		
			5	15-Dec-05	60/60 NB	1,456	4,214	58.11	83.34%	34.55%	1.40%	0.28%	0.07%	0.02%									63.34	34.6%	
			6	15-Dec-05	60/60 SB	1,343	4,246	57.53	78.43%	31.63%	0.85%	0.16%	0.02%											63.10	31.6%
			TOTAL						8,102	25,076	57.58	79.61%	32.31%	0.91%	0.18%	0.05%	0.01%	0.00%							63.15



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 2	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
88	PTR R063	SR-395 MP-190.29 LOON LAKE	1	13-Dec-05	60/60 NB	1,613	3,745	58.71	82.06%	43.07%	5.07%	0.53%	0.11%	0.05%	0.05%	0.03%						64.07	43.1%
			2	13-Dec-05	60/60 SB	1,649	3,755	58.45	78.83%	43.91%	5.46%	0.56%	0.05%	0.03%	0.03%	0.03%	0.03%	1				64.14	43.9%
			3	14-Dec-05	60/60 NB	1,673	3,734	58.85	82.38%	44.80%	5.01%	0.56%	0.08%	0.03%	0.03%							64.12	44.8%
			4	14-Dec-05	60/60 SB	1,778	3,710	58.94	81.73%	47.92%	5.88%	0.46%	0.03%									64.29	47.9%
			5	15-Dec-05	60/60 NB	1,518	3,878	58.41	79.27%	39.14%	5.36%	0.34%	0.10%	0.03%								63.96	39.1%
			6	15-Dec-05	60/60 SB	1,708	3,859	58.64	79.50%	44.26%	6.61%	0.62%	0.05%	0.03%								64.26	44.3%
			TOTAL						9,939	22,681	58.66	80.61%	43.82%	5.57%	0.51%	0.07%	0.03%	0.02%	0.01%	0.00%	1		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

4th QUARTER

October 1st through December 31st

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 2	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
89	WIM	SR-395	1	4-Oct-05	70/60 NB	1,144	2,797	67.70	99.25%	92.17%	61.03%	40.90%	9.72%	1.97%	0.46%	0.11%						74.53	40.9%
	P7C	MP-93.01	2	4-Oct-05	70/60 SB	1,046	2,698	67.56	99.44%	92.29%	61.23%	38.77%	8.78%	1.89%	0.19%							74.34	38.8%
		RITZVILLE #2	3	5-Oct-05	70/60 NB	1,278	3,065	67.75	98.99%	90.47%	62.77%	41.70%	9.79%	1.86%	0.59%	0.07%						74.55	41.7%
			4	5-Oct-05	70/60 SB	1,124	2,929	67.54	99.45%	92.18%	62.62%	38.37%	7.85%	1.19%	0.34%	0.10%						74.21	38.4%
			5	6-Oct-05	70/60 NB	1,635	3,518	68.52	99.52%	92.98%	67.00%	46.48%	12.22%	2.70%	0.57%	0.09%						74.96	46.5%
			6	6-Oct-05	70/60 SB	1,330	3,162	67.99	99.34%	92.76%	66.64%	42.06%	8.95%	0.95%	0.19%	0.03%						74.46	42.1%
TOTAL						7,557	18,169	67.87	99.33%	92.16%	63.74%	41.59%	9.64%	1.78%	0.40%	0.07%						74.51	41.6%



GLOSSARY

85TH PERCENTILE.....The speed at or below which 85% of the vehicles observed were traveling.

AVERAGE SPEED.....The sum of speeds divided by the number of vehicles that were observed.

PTR.....Permanent Traffic Recorder (PTR)

IRD.....International Roadway Dynamics

WIM—Weigh-in-Motion—type of site collects:

Speed, Classification, Length, Volume and Weight data is collected at these sites.

DIAMOND.....Diamond Traffic Products

PTR—Permanent Traffic Recorder—type of site collects:

Speed, Classification, Length and Volume data collected at these sites.

FEDERAL FISCAL YEAR.....October 1st through September 30th

FEDERAL FISCAL QUARTER.....1ST-----October 1st through December 31st
2ND-----January 1st through March 30th
3RD-----April 1st through June 30th
4TH-----July 1st through September 30th

CALENDAR YEAR.....January 1st through December 31st

CALENDAR YEAR QUARTERS.....1ST-----January 1st, February, March 30th
2ND-----April 1st, May, June 30th
3RD-----July 1st, August, September 30th
4TH-----October 1st, November, December 30th